



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Moscow.....	Feb. 4	1,500,000	749	97				3	33	1	17	28	10	2
Do.....	Feb. 11		884	106				4	35	4	32	31	12	4
Munich.....	do.....	597,000	199	22									3	1
Do.....	Feb. 18		188	31								1	3	2
Nagasaki.....	Feb. 12	178,074	51	5								2		
Nagoya.....	Jan. 29	402,101	147							1		1		
Newcastle-on-Tyne.....	Feb. 11	270,360	96	11							1	1	12	5
Nuevo Laredo.....	Mar. 4	9,000	10	2									1	
Odessa.....	Feb. 4	546,000	192	21					2	1	8	1	2	1
Do.....	Feb. 11		226	38					4	3	5	4		1
Do.....	Feb. 18		196	34					1	3	2	4	5	2
Palermo.....	do.....	340,000	218	8				3		2	3			
Para.....	do.....	185,000	89	7			3							
Paris.....	do.....	2,776,394	1,045	238						6	1	1	12	6
Prague.....	Feb. 11	235,556	65	13							1	1		
Do.....	Feb. 18		110	17								2	1	2
St. Petersburg.....	Jan. 21	1,678,000	790	116				2		9	25	18	15	7
Do.....	Jan. 28		735	120				11	1	5	17	11	17	
Do.....	Feb. 4		737	140				11		7	18	10	10	4
San Luis Potosi.....	do.....	82,964	58	5				7	1		1	1	4	
Do.....	Feb. 11		70	5				4					3	
Tampico.....	Feb. 28	23,452	27	1				2					2	
Veracruz.....	Feb. 11	47,000	30	8									1	1
Yokohama.....	Feb. 13	407,432										4		

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES  
(untabulated).

**ALGERIA**—*Algiers*.—Month of January, 1911. Population, 150,000. Total number of deaths from all causes 418, including diphtheria 2, measles 1, tuberculosis 42, typhoid fever 7.

**ARGENTINA**—*Rosario*.—Month of December, 1910. Population, 198,781. Total number of deaths from all causes 429, including diphtheria 12, scarlet fever 1, smallpox 4, tuberculosis 42.

**BRAZIL**—*Ceara*.—Month of January, 1911. Population, 55,000. Total number of deaths from all causes 138, including tuberculosis 15, typhoid fever 7.

**BRITISH BURMA**—*Rangoon*.—Month of December, 1910. Population, 301,259. Total number of deaths from all causes 701, including plague 10, smallpox 5, tuberculosis 28.

**CANADA**—*Vancouver*.—Month of January, 1911. Population, 125,000. Total number of deaths from all causes 115, including diphtheria 3, scarlet fever 1, tuberculosis 14, typhoid fever 5.

**DOMINICAN REPUBLIC**—*Santo Domingo*.—Period from January 24 to February 20, 1911. Population, 18,326. Total number of deaths from all causes 33, including tuberculosis 3.

**FORMOSA**.—Four weeks ended February 4, 1911. Population, 3,290,186. Total number of deaths from all causes not reported. The deaths from contagious diseases include diphtheria 4, plague 7, typhoid fever 6.

**GREAT BRITAIN**.—Week ended February 18, 1911.

*England and Wales.*—The deaths registered in 77 great towns correspond to an annual rate of 17.2 per 1,000 of the population, which is estimated at 17,160,256.

*Ireland.*—The deaths registered in 21 principal town districts correspond to an annual rate of 22.7 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Drogheda, viz, 4.1, and the highest at Clonmel, viz, 61.5 per 1,000.

*Scotland.*—The deaths registered in 8 principal towns correspond to an annual rate of 19 per 1,000 of the population, which is estimated at 1,917,875. The lowest rate was recorded at Aberdeen, viz, 13.2, and the highest at Dundee, viz, 25.3 per 1,000. The total number of deaths from all causes was 698, including diphtheria 7, measles 4, scarlet fever 1, typhoid fever 2.

ITALY—*Genoa.*—Two weeks ended February 15, 1911. Population, 279,163. Total number of deaths from all causes 301, including diphtheria 2, measles 2, tuberculosis 27.

*Messina.*—Period from February 1 to 20, 1911. Population 110,000. Total number of deaths from all causes 79, including diphtheria 1, tuberculosis 8, typhus fever 1.

MALTA.—Three weeks ended February 11, 1911. Population 215,879. Total number of deaths from all causes 278, including diphtheria 2, tuberculosis 9.

PORTO RICO.—Month of November, 1910. Population 1,118,012. Total number of deaths from all causes 2,240, including diphtheria 1, measles 4, tuberculosis 199, typhoid fever 34.

SOUTH AFRICA—*Johannesburg.*—Period from November 12, 1910, to January 7, 1911. Population 220,304. Total number of deaths from all causes 1,026, including measles 37, scarlet fever 3, tuberculosis 70, typhoid fever 24.

SPAIN—*Cadiz.*—Month of January, 1911. Population, 69,382. Total number of deaths from all causes, 203, including diphtheria 1, scarlet fever 1, tuberculosis 33, typhoid fever 1.

*Madrid.*—Month of January, 1911. Population, 613,436. Total number of deaths from all causes, 1,748, including diphtheria 18, measles 25, scarlet fever 1, smallpox 2, tuberculosis 183, typhus fever 7, typhoid fever 1.

*Seville.*—Month of January, 1911. Population, 154,315. Total number of deaths from all causes 540, including diphtheria 8, smallpox 8, tuberculosis 73, typhus fever 1.

TAHITI.—Four weeks ended February 17, 1911. Population, 4,000. Total number of deaths from all causes 5. No deaths from contagious diseases.

TURKEY—*Saloniki.*—Four weeks ended February 13, 1911. Population, 200,000. Total number of deaths from all causes, 183, including tuberculosis 27, typhoid fever 3.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.